

**FOR IMMEDIATE RELEASE**  
**Savin Web Site:** [www.savin.com](http://www.savin.com)

**CONTACT:** Russell Marchetta  
Savin  
(973) 882-2075  
[russell.marchetta@ricoh-usa.com](mailto:russell.marchetta@ricoh-usa.com)

Melissa Einfrank  
Peppercom  
(212) 931-6171  
[meinfrank@peppercom.com](mailto:meinfrank@peppercom.com)

**SAVIN INTRODUCES THE 9025b/9025 AND 9033b/9033 DIGITAL IMAGING  
SYSTEMS**

*Enhanced Efficiency with Color Scanning*

**West Caldwell, NJ, March 25, 2008** – Savin today introduced the 9025b/9025 and 9033b/9033 Digital Imaging Systems. Ideal for small and mid-sized businesses, the 9025 and 9033 models have color scanning capabilities that produce clear images, store documents securely and raise productivity and efficiency.

The 9025 and 9033 models are replacing the 8025e and 8030e. These models come standard with monochrome printing, copying and color scanning capabilities out of the box in two pre-configured models – the sp and spf (the spf includes faxing capabilities). The 9025b and 9033b come equipped with copying capabilities and have a flexible upgrade path which includes monochrome printing, scanning and faxing allowing features to be added as users' document management needs develop and evolve over time.

The 9025b/9025 and 9033b/9033 increases an organization's productivity with a print speed of 25 pages per minute (ppm) and 33 ppm, respectively. Designed to make crisp and professional-looking documents, the 9025 and 9033 models offer a 1,000-sheet booklet finisher and optional hole-punching. In addition, these models include special design features to enhance ease-of-use, including a simplified color display, easy-access paper tray handles and animated menu guidance.

Security plays a central role in many of today's leading industries, especially as compliance regulations continue to increase. With the 9025b/9025 and 9033b/9033, administrators can control access to the system to only the authorized users with Windows/LDAP/Kerberos Authentication. An additional security function is the Locked Print feature that allows users to keep confidential documents from being seen or accidentally picked up in the output tray by unauthorized parties. Customers can also use the DataOverwriteSecurity System (DOSS) to prevent the possibility of reconstructing data from "latent images" on the internal hard drive.

The 9025b/9025 and 9033b/9033 models can store up to 3,000 frequently used documents in its Document Server, where they can be instantly accessed for reprinting, re-faxing or re-scanning to increase user's overall productivity. Furthermore, customers can prioritize job lists by automatically moving the most critical jobs to the head of the print queue to ensure they are finished first. In addition, the 9025 and 9033 models contain full-color thumbnails on the control panel so users can preview images to confirm that scanned documents are captured correctly prior to distribution.

Equipped with Web SmartDeviceMonitor, these digital imaging systems allow centralized configuration, monitoring and management of multiple connected Savin devices. The 9025 and 9033 also include auto e-mail notification that sends a report to a designated e-mail address when the machine is not operating at optimum performance levels to increase efficiency. In addition, the @Remote Intelligent Management System saves administrators time as it automatically places a detailed request for service when needed, removing the need for users to initiate service calls, which reduces the total cost of ownership.

The 9025b/sp/spf are available at the suggested retail prices of \$5,085/\$7,035/\$8,130 and the 9033b/sp/spf at \$6,435/\$8,385 and \$9,480 respectively.

For more information on Savin's full line of products, please visit [www.savin.com](http://www.savin.com).

### **About Savin**

With its broad line of award winning network-ready digital output systems – including full color and black-and-white digital imaging system, color and black-and-white network laser printers, and fax machines – Savin is helping businesses of all sizes become more productive and efficient. The Business Technology Association (BTA) honored Savin with two 2005 “Channel's Choice” awards, via a nationwide poll of office equipment dealers. Savin is a brand of West Caldwell, NJ-based Ricoh Americas Corporation. For more information, visit [www.savin.com](http://www.savin.com).

# # #

All referenced product names are the trademarks of their respective companies.

## Savin 9025b/9025 & 9033b/9033

<b>Engine/Copier Specifications</b>	
Configuration	Console
Scanning Element	Flathead with Moving CCD Array Image Sensor
Printing Process	Single Laser Beam Scanning & Electrophotographic Printing
Document Feeding	Optional 50-Sheet ARDF
Toner	Dry, Dual Component
System Memory (std. /max.)	9025b/9033b: 256/512 MB RAM 9025/9033: 768/768 MB RAM
Hard Disk Drive	9025/9033: 40 GB standard 9025b/9033b: 40 GB optional
Copy Resolution	600 x 600 dots per inch (dpi)
Grayscale	256 levels
Exposure Adjustment	Manual & Automatic
Quantity Indicator	Up to 999
Original Type	Book/Sheet
Maximum Original Size	Up to 11" x 17"
Paper Size	5.5" x 8.5" to 11" x 17"
Paper Type	Plain Paper, Transparencies, Envelopes, Cardstock, Recycled
Warm-Up Time	14 seconds
First Copy Speed	4.5 seconds
Continuous Copying Speed	9025b/9025: 25 copies per minute (cpm) (LTR) 9033b/9033: 33 cpm (LTR)
Recovery Time	10 seconds (from Auto-Off)
Power Source	120V/60Hz
Dimensions	24.8" (W) x 25.7" (D) x 27.9" (H)
Weight	143 lbs.
Standard Paper Capacity	500 Sheets x 2 trays, and 100-Sheet Bypass Tray
Optional Paper Capacity	500 Sheets x 2 trays or 2,000-Sheet Large Capacity Tray
Paper Size	5.5" x 8.5" to 11" x 17" A5 to A3
Paper Weight	16 – 28 lb. Bond/60 – 105g/m <sup>2</sup> (Tray 1 and Duplex) 14- 42 lb. Bond/52 – 157g/m <sup>2</sup> (Tray 2 and Bypass)
Standard Output Tray Capacity	500 Sheets (Letter) 250 Sheets (Legal, Ledger)
Reduction Ratios	25%, 50%, 65%, 73%, 78%, 85%, 93%, 100%

Enlargement Ratios	121%, 129%, 155%, 200%, 400%
Zoom	25% to 400% in 1% increments
Standard Features	Auto Magnification, Auto Paper Select, Auto Tray Switch, Center/Border Erase, Chapters, Full-Color VGA Touch Screen Control Panel, Combine Mode, Cover Insertion, Data Stamp, Directional Magnification, Electronic/Rotate Sorting, English Pre-Set Stamps, Negative/Positive, OHP Slip Sheet, Page Number Stamp, 10 Job Programs, 500 User Codes
Requires Hard Disk Drive	8 Job Presets, Background Numbering, Booklet/Magazine Copy, Document Server (3,000 file capacity), Series Copy, User Stamps
<b>Printer Specifications (Standard)</b>	
Print Speed	9025b/9025: 25 ppm 9033b/9033: 33ppm
CPU	RM7035C 533 MHz
Standard Interfaces	10/100BaseTX Ethernet, USB 2.0
Optional Interfaces	IEEE 802.11 a/b/g Wireless LAN, Bluetooth, IEEE 1284, Gigabit Ethernet
Memory Capacity	Shared with Copier
Network Protocol	TCP/IP, IPX/SPX, AppleTalk
Utilities	SmartDeviceMonitor, Web SmartDeviceMonitor, DeskTopBinder, Web Image Monitor
Page Description Language	PCL 5e/6 emulation; Savin RPCS Adobe PostScript3 (Optional)
Print Resolution	Up to 600 dpi (2400 x 600 dpi with smoothing)
Grayscale	256 levels
Fonts for PCL 5e/6	35 Intellifonts, 10 TrueType, 1 Bitmap and 13 International Fonts
Fonts for PS3	136 PostScript Fonts
Standard Features (Hard Drive Required)	Sample/Locked/Hold/Stored Print, Encryption
<b>Scanner Specifications (Standard on sp/spf models only)</b>	
Scanning Speed B&W/Color	Embedded Scanning: 50/29 images per minute (ipm) at 200 dpi
Scanning Resolution	600 dpi
Grayscale	256 levels
Scan Area	Up to 11" x 17"
Standard Interfaces	10/100BaseTX Ethernet
Optional Interfaces	IEEE 802.11a/b/g Wireless LAN, Gigabit Ethernet

Protocol	TCP/IP, NCP, SMB, SMTP, POP 3, LDAP, FTP
Memory Capacity	Shared with Copier
File Types	Single and multi-page TIFF/PDF, High Compression PDF, Single-page JPEG
Standard Features	Embedded Scan-to-Email/HDD/Folder/URL and TWAIN